1 1 2 40 4 1 4 6 4 6 6 4 6 6 4 6 6 6	M HAZARDOUS	Generator's US EPA	TID INO.	Manifest Document No.	2. F	Page 1	Informa	ation in t	he shaded areas
	E MANIFEST	LCIAIDIOLAISI	5121010101			of 1		***************************************	by Federal law.
	ame and Mailing Address Aircraft Compa	anv Attn. D	Tuell M/S	C6-10	A. Sta	ite Manife	St Docum	nent Num	nber QÇQ
	. Normandie Ave			~~	B. Sta	ite Gener	ator's ID	40	<u> </u>
	hone (213) 783-592					Lalul	ni ol a	d of o	มผลดม
5. Transporter 1	Company Name	6.	US EPA ID I				oorter's IC		. 937
Company of the Compan	<u>ironmental Serv</u>		A D 0 5 8 0	***************************************		nsporter'		213.	268-3137
7. Transporter 2	Company Name	8.	US EPA ID 1	Number			orter's ID) "" "	
9. Designated Fa	acility Name and Site Addre	ess 10.	US EPA ID 1			nsporter' ite Facilit			
Chem-Ter	ch Systems, Inc				74	AN		3 UT	BRUNBO
	26th St.				H. Fac	ility's Ph			
Vernon.	CA 90023 //	J C	A T 0 8 0			3-268	-3387	1	
11. US DOT Des	cription (Including Proper S	Shipping Name, Hazard Cl	ass, and ID Number)	12. Con	1	13. T Q	otal uantity	14. Unit	l. Waste No.
a.				No.	Туре			Wt/Vol	State
	A, Hazardous Wa								195 401
(Polyest	ter plastic, co	eramic abrasi	ve)	орц	TIT	IA I	CIUIO	G	EPA/Offier
b.		No. one							State
		·						10	EPA/Other
					1		11	***	64-4-
.	w.	***							State
									EPA/Other
d.	•	4 %					1 1		State
						37			F04 .00
				1 1	1	1 1	11		EPA/Other
	0-10% mixture ceramic Corrosion inhil Ing Instructions and Addition	abrasive, fus	lastic, sil ed aluminum	oxide	a. G.	<u> </u>		d.	
g-:1%/ 15: Special Hand In case wash int approximate 16. GENERATOR and are class national gove If I am a large	ceramic according inhibition of accident control sewer or walk according to sewer or walk according to the series of acceptance of accident control sewer or walk according to the series of acceptance of acceptanc	abrasive, fusibitor contain contact Chemtro terway: If under the condition of the condition	lastic, siled aluminum ing sec but. ec at 800-4 able to del	icon dioxidoxide anol 24-9300. Do iver, retuinding for transport e volume and toxicit	ccurately by highw	describe ay accord	erator d above t	vapor Vo	or shipping name international and
15. Special Hand In case Wash Int approxin 16. GENERATOR and are class national gove If I am a large to be econom present and generation ar	ceramic according inhibition of accident control sewer or walk	abrasive, fusibitor contain contact Chemtre terway: If under the condition of the condition	lastic, siled aluminum ing sec but. control of the consignrespects in proper control of the control o	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	er shipping name international and the I have determined which minimizes the nimize my waste
15. Special Hand In case wash int approxin 16. GENERATOP and are class national gove If I am a larg to be econon present and generation ar Printed/Typed Na	ceramic according inhibition of accident control sewer or walk	abrasive, fusibitor contain contact Chemtre terway: If under the condition of the condition	lastic, siled aluminum ing sec but. The sec at 800-4 able to del	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	or shipping name international and
g1%/ 15. Special Hand In case wash int approxin 16. GENERATOR and are class national gove If I am a larg to be econon present and generation ar Printed/Typed Na Robey t	ceramic corrosion inhilling instructions and Addition of accident corrosion was mate. R'S CERTIFICATION: I her sified, packed, marked, and ernment regulations. e quantity generator, I certimically practicable and that future threat to human heal and select the best waste marked.	abrasive, fusibitor contain on a information on tact. Chemtro terway: If under the contained and the contained and the contained and the contained and the environment; an an agement method that is	lastic, siled aluminum ing sec but. control of the consignrespects in proper control of the control o	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	er shipping name international and the I have determined which minimizes the nimize my waste
c1% 15. Special Hand In case wash Int approxin 16. GENERATOR and are class national gove If I am a larg to be econon present and generation ar Printed/Typed Na Robert	ceramic Corrosion inhiling instructions and Addition of accident cotto sewer or walked. A'S CERTIFICATION: I here is sified, packed, marked, and ernment regulations. e quantity generator, I certificately practicable and that future threat to human health diselect the best waste marked. Acknowledgement of Receivers.	abrasive, fusibitor contain on a information on tact. Chemtro terway: If under the contained and the contained and the contained and the contained and the environment; an an agement method that is	lastic, siled aluminum ing sec but. ec at 800-4 able to del tents of this consignrespects in proper corrections in place to reduce the ticable method of tree to savailable to me and savailable to me and Signature	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	er shipping name international and which minimizes the himize my waste
c1%/ 15. Special Hand In case wash int approxim 16. GENERATOR and are class national gove if I am a large to be econon present and generation ar Printed/Typed Na Robert 17. Transporter 1	ceramic Corrosion inhiling instructions and Addition of accident cotto sewer or walked. A'S CERTIFICATION: I here is sified, packed, marked, and ernment regulations. e quantity generator, I certificately practicable and that future threat to human health diselect the best waste marked. Acknowledgement of Receivers.	abrasive, fusibitor contain on a information on tact. Chemtro terway: If under the contained and the contained and the contained and the contained and the environment; an an agement method that is	lastic, siled aluminum ing sec but. control of the consignrespects in proper control of the contr	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	er shipping name international and the I have determined which minimizes the nimize my waste
15. Special Hand In case wash interpretation 16. GENERATOR and are class national gove If I am a large to be econon present and generation and Printed/Typed Na Robert 17. Transporter 1 Printed/Typed Na Si 11	ceramic Corrosion inhiling instructions and Addition of accident cotto sewer or walked. A'S CERTIFICATION: I here is sified, packed, marked, and ernment regulations. e quantity generator, I certificately practicable and that future threat to human health diselect the best waste marked. Acknowledgement of Receivers.	abrasive, fusibitor contain contact Chemtro co	lastic, siled aluminum ing sec but. ec at 800-4 able to del tents of this consignrespects in proper corrections in place to reduce the ticable method of tree to savailable to me and savailable to me and Signature	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	er shipping name international and which minimizes the himize my waste
15. Special Hand In case wash in approxin 16. GENERATOR and are class national gove If I am a larg to be econon present and generation ar Printed/Typed Na Printed/Typed Na	ceramic corrosion inhibition of accident corrosion inhibition of accident corrosion in the corrosion of accident corrosion of accide	abrasive, fusibitor contain contact Chemtro co	lastic, siled aluminum ing sec but. ec at 800-4 able to del tents of this consignrespects in proper corrections in place to reduce the ticable method of tree to savailable to me and savailable to me and Signature	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	er shipping name international and which minimizes the himize my waste
15: Special Hand In case wash ini approxin 16. GENERATOP and are class national gove if I am a larg to be econon present and generation ar Printed/Typed Na Robert 17. Transporter 1 Printed/Typed Na Printed/Typed Na Printed/Typed Na Printed/Typed Na	Ceramic Corrosion inhilling Instructions and Addition of accident control sewer or was mate. A'S CERTIFICATION: I here in the sified, packed, marked, and ernment regulations. The equantity generator, I certimically practicable and that future threat to human health district the best waste management. Acknowledgement of Receipted A	abrasive, fusibitor contain contact Chemtro co	lastic, siled aluminum ing sec but. ec at 800-4 able to del stents of this consigning espects in proper continuous proper continuous available to me and signature Signature	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	or shipping name international and which minimizes the himize my waste Month Day Ye Month Day Ye Month Day Ye 1 / 2 3 9
15. Special Hand In case wash interpretation approximates 16. GENERATOR and are class national gove if I am a large to be econon present and generation and Printed/Typed Na Robert 17. Transporter 1 Printed/Typed Na Bill Bill Bill Bill Bill Bill Bill Bil	Ceramic Corrosion inhilling Instructions and Addition of accident control sewer or was mate. A'S CERTIFICATION: I here in the sified, packed, marked, and ernment regulations. The equantity generator, I certimically practicable and that future threat to human health district the best waste management. Acknowledgement of Receipted A	abrasive, fusibitor contain contact Chemtro co	lastic, siled aluminum ing sec but. ec at 800-4 able to del stents of this consigning espects in proper continuous proper continuous available to me and signature Signature	icon dioxidoxidoxide anol 24-9300. Do iver, retur ment are fully and a addition for transport e volume and toxicit atment, storage, or lantity generator, It	ccurately by highw	describe ay accord	erator d above to ding to apove ted to the available	vapor Vo	or shipping name international and which minimizes the nimize my waste Month Day Yea Month Day Yea Month Day Yea
15. Special Hand In case Wash initial approximation and are class national gove if I am a large to be economoresent and generation and Printed/Typed Na Printed/Typed Na 17. Transporter 1 Printed/Typed Na 18. Transporter 2 Printed/Typed Na 19. Discrepancy i	Ceramic Corrosion inhilling Instructions and Addition of accident cotto sewer or waited. A'S CERTIFICATION: I here is if it is a comment regulations. I certifically practicable and that future threat to human health and select the best wastern management. Acknowledgement of Received and the individual of the comment o	abrasive, fusibitor contain on a Information on tact. Chemtroterway: If under the condition of the condition	lastic, siled aluminum ing sec but. ec at 800-4 able to del able to reduce the correction place to reduce the correction property in place to reduce the correction property in place to reduce the correction property in place to reduce the correction place to the	icon dioxidoxide anol 24-9300. De iver, retur ment are fully and a dition for transport e volume and toxicit atment, storage, or iantity generator, It d that I can afford.	ccurately by highway of was disposal lave mad	describe ay accordate general currently e a good	d above to ding to apose ted to the available faith effor	vapor Vo	or shipping name international and the I have determined which minimizes the nimize my waste Month Day Year 1 0 2 9 9 Month Day Year 1 2 3 9 Month Day Year 1 1 1 1 9 Month Day Year 1 1 1 9 Month Day Year 1 1 1 1 9 Month Day Year 1 9
15. Special Hand In case wash init approxim 16. GENERATOR and are class national gove If I am a larg, to be econon present and generation an Printed/Typed Na Robert 17. Transporter 1 Printed/Typed Na Initial Printed/Ty	Ceramic Corrosion inhilling Instructions and Addition of accident cotto sewer or waited. A'S CERTIFICATION: I here is if it is a comment regulations. I certifically practicable and that future threat to human health and select the best wastern management. Acknowledgement of Received and the individual of the comment o	abrasive, fusibitor contain on a Information on tact. Chemtroterway: If under the condition of the condition	lastic, siled aluminuming sec but. ec at 800-4 able to del detents of this consignrespects in proper corrections in place to reduce the ticable method of tretors, if I am a small red is available to me and Signature Signature Signature	icon dioxidoxide anol 24-9300. De iver, retur ment are fully and a dition for transport e volume and toxicit atment, storage, or iantity generator, It d that I can afford.	ccurately by highway of was disposal lave mad	describe ay accordate general currently e a good	d above to ding to apose ted to the available faith effor	vapor Vo	or shipping name international and which minimizes the nimize my waste Month Day Yea Month Day Yea Month Day Yea

WASTE MANIFEST	1. Generator's US EPA ID No. CIAIDIO 8 6 5 1 0 0 0	Manifest Document No				n the shaded areas ed by Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Compa 19503 S. Normandie Av	any Attn: R. Tuell M/S enue, Torrance, CA 9050	C6-10 2		te Manifest D	364	umber 3 9 5 9
4. Generator's Phone (213) 783-595. Transporter 1 Company Name	D Number	C. Sta	A H () te Transporte	05098		
JCI Environmental Ser 7. Transporter 2 Company Name	vices C A D 0 5 8 8. US EPA II	A Branch Street Arrests Lateral Benchal	E. Sta	nsporter's Ph te Transporte nsporter's Ph	r's ID	1-268-3137
9. Designated Facility Name and Site Address Chem-Tech Systems, In 3650 E. 26th St. Vernon, CA 90023	[2018년 1일 1일 2일 1일	D Number	H. Fac	te Facility's I	111	
	Shipping Name, Hazard Class, and ID Number	12, C	ontainers Type	13. Total Quant		it Waste No.
^a Non-RCRA, Hazardous W (Polyester plastic, c	aste Liquid eramic abrasive)	001		اکاکا		State 135 401 EPA/Other
b.			_			State EPA/Other
C.			_	- 1 1 1		State EPA/Other
d.						State EPA/Other
solids. 0-10% mixture	ed Above ifier-Vibrator-Deburrer : Polyester plastic, si abrasive, fused aluminu	ilicon diox	a.	ndling Codes	for Waste b.	s Listed Above
solids. 0-10% mixture ceramic o1% Corrosion inhi	ifier-Vibrator-Deburrer : Polyester plastic, si abrasive, fused aluminu bitor containing sec bu	ilicon diox um oxide utanol -424-9300.	ide, c. Do not	. breatl	d.	ors, do not
solids. 0-10% mixture ceramic o1% Corrosion inhi 15. Specfal Handling Instructions and Addit In case of accident c wash into sewer or wa approximate. 16. GENERATOR'S CERTIFICATION: I he and are classified, packed, marked, an national government regulations. If I am a large quantity generator, I cer to be economically practicable and tha present and future threat to human her	ifier-Vibrator-Deburrer : Polyester plastic, si abrasive, fused aluminu bitor containing sec bu onal Information ontact Chemtrec at 800-	ilicon diox im oxide itanol -424-9300. aliver, ret ignment are fully and condition for transpo the volume and tox treatment, storage, I quantity generator,	a. c. Do not accurately rt by highword disposal I have made	breati genera described a vay according te generated currently ave	d. d. d. le vap itor. cove by pri to applicate to the deg	ors, do not Volume is oper shipping name ble international and ree I have determined e which minimizes the
solids. 0-10% mixture ceramic 0-1% Corrosion inhi 15. Special Handling instructions and Addit In case of accident wash into sewer or wa approximate. 16. GENERATOR'S CERTIFICATION: I he and are classified, packed, marked, an national government regulations. If I am a large quantity generator, I cer to be economically practicable and tha present and future threat to human he generation and select the best waste of Printed/Typed Name	iffier-Vibrator-Deburrer: Polyester plastic, stabrasive, fused aluminus bitor containing sec bu onal information ontact Chemtrec at 800- terway. If unable to de ereby declare that the contents of this consid labeled, and are in all respects in proper tify that I have a program in place to reduce to the environment; OR, if I am a small management method that is available to me Signature	ilicon diox m oxide Itanol -424-9300. aliver, ret ignment are fully and condition for transpo the volume and tox treatment, storage, I quantity generator, and that I can afford	a. c. Do not accurately rt by highword disposal I have made	breati general described a vay according te generated currently ava le a good fait	d. d. d. le vap itor. cove by pri to applicate to the deg	ors, do not Volume is oper shipping name ble international and ree I have determined e which minimizes the
solids. 0-10% mixture ceramic o1% Corrosion inhi 15. Special Handling instructions and Addit in case of accident of the company of the company in the com	iffier-Vibrator-Deburrer: Polyester plastic, stabrasive, fused aluminubitor containing sec but onal information ontact Chemtrec at 800-terway. If unable to describe the program in place to reduce it I have selected the practicable method of alth and the environment; OR, if I am a small management method that is available to me Signature Signature Signature	ilicon diox m oxide Itanol -424-9300. aliver, ret ignment are fully and condition for transpo the volume and tox treatment, storage, I quantity generator, and that I can afford	a. c. Do not urn accurately rt by highwort disposal I have made.	breati general described a vay according te generated currently ava le a good fait	d. d. d. le vap itor. cove by pri to applicate to the deg	ors, do not Volume is oper shipping name ble international and ree I have determined e which minimizes the minimize my waste
solids. 0-10% mixture ceramic o1% Corrosion inhi 15. Special Handling instructions and Additin case of accident characteristics wash into sewer or water and are classified, packed, marked, an national government regulations. If I am a large quantity generator, I cert to be economically practicable and the present and future threat to human head generation and select the best waster. Printed/Typed Name Robert G. Tud 17. Transporter 1 Acknowledgement of Receival and Select a	iffier-Vibrator-Deburrer: Polyester plastic, stabrasive, fused aluminubitor containing sec but onal information ontact Chemtrec at 800-terway. If unable to describe the program in place to reduce it I have selected the practicable method of alth and the environment; OR, if I am a small management method that is available to me Signature Signature Signature	ilicon diox m oxide Itanol -424-9300. aliver, ret ignment are fully and condition for transpo the volume and tox treatment, storage, I quantity generator, and that I can afford	a. c. Do not urn accurately rt by highwort disposal I have made.	breati general described a vay according te generated currently ava le a good fait	d. d. d. le vap itor. cove by pri to applicate to the deg	ors, do not Volume is oper shipping name ble international and ree I have determined e which minimizes the minimize my waste Month Day Yea 1 0 24 9 9 9
solids. 0-10% mixture ceramic co-1% Corrosion inhi 15. Special Handling Instructions and Addit in case of accident wash into sewer or wa approximate. 16. GENERATOR'S CERTIFICATION: I he and are classified, packed, marked, an national government regulations. If I am a large quantity generator, I cer to be economically practicable and the present and future threat to human hea generation and select the best waste of Printed/Typed Name Printed/Typed Name 17. Transporter 1 Acknowledgement of Rec Printed/Typed Name Printed/Typed Name Printed/Typed Name	iffier-Vibrator-Deburrer: Polyester plastic, stabrasive, fused aluminubitor containing sec but onal information ontact Chemtrec at 800-terway. If unable to describe the following section of the fo	ilicon diox m oxide Itanol -424-9300. aliver, ret ignment are fully and condition for transpo the volume and tox treatment, storage, I quantity generator, and that I can afford	a. c. Do not urn accurately rt by highwort disposal I have made.	breati general described a vay according te generated currently ava le a good fait	d. d. d. le vap itor. cove by pri to applicate to the deg	ors, do not Volume is oper shipping name ble international and ree I have determined e which minimizes the minimize my waste Month Day Yea 1 0 2 9 9 Month Day Yea
solids. 0-10% mixture ceramic o-1% Corrosion inhi 15. Special Handling instructions and Addit in case of accident wash into sewer or wa approximate. 16. GENERATOR'S CERTIFICATION: I he and are classified, packed, marked, an national government regulations. If I am a large quantity generator, I cer to be economically practicable and tha present and future threat to human he generation and select the best waste of Printed/Typed Name Printed/Typed Name 17. Transporter 1 Acknowledgement of Rec Printed/Typed Name 18. Transporter 2 Acknowledgement of Rec Printed/Typed Name	iffer-Vibrator-Deburrer: Polyester plastic, stabrasive, fused aluminubitor containing sec but onal information ontact Chemtrec at 800-terway. If unable to describe the contents of this consider that I have a program in place to reduce to I have selected the practicable method of alth and the environment; OR, if I am a small management method that is available to me Signature Signature Seipt of Materials Signature	ignment are fully and condition for transport the volume and tox treatment, storage, and that I can afford	a. ide, c. Do not urn j	described a ray according te generated currently avale a good fait	de vap	ors, do not Volume is oper shipping name ble international and ree I have determined e which minimizes the minimize my waste Month Day Yea 1 0 2 9 9 Month Day Yea

DHS

8 SE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RE

EPA 8700—22 (Rev. 9-88) Previous editions are obsolete.

CERTIFICATE OF TREATMENT/RECYCLING

ISSUED TO

DOUGLAS ATRCRAFT COMPANY

FOR

MANIFEST NUMBER 89643959

DATE RECEIVED OCTOBER 30, 1990

The aqueous waste received on the above manifest will be treated to standards mandated by the FEDERAL CLEAN WATER ACT and to effluent requirements established by the Sanitation Districts of Los Angeles County. Waste treatment and recycling is performed under permits granted to CHEM-TECH SYSTEMS, INC., a California corporation, by the California Department of Health Services, in coordination with the Environmental Protection Agency, in accordance with the provisions of the Resource Conservation and Recovery Act (RCRA) of 1976, together with applicable federal and state regulations including but not limited to waste discharge requirements established by the Sanitation Districts of Los Angeles County.

When the above described material is accepted by CHEM-TECH SYSTEMS, INC. and treated/recycled and the aqueous phase discharged for further treatment by the Sanitation Districts, the certificate holder's responsibility for the material is eliminated under both RCRA and Proposition 65. Upon request, CHEM-TECH SYSTEMS, INC. will issue this certificate that all material has been handled in accordance with applicable permits, and the certificate holder's liability has been terminated.



CHEM-TECH SYSTEMS, INC. a commitment to a clean environment

Edward a Weg

OCTOBER 30, 1990

DATE

PLANT MANAGER

3650 EAST 26th STREET • VERNON, CALIFORNIA 90023 (213) 268-5056 • FAX: (213) 268-9672

INCORPORATED

__ Ligard Week Desposel _____ 3650 E. 26th STREET LOS ANGELES, CA 90023

WORK ORDER

EPA NO. CAD 058018367 FED. TAX NO. XR 95 - 2769288

WASTE HAULER NO. 139 MC DOMMELL DOUGLAS CORP. TIME: _ SHIPPER 19503 SO. MORRANDIE AVE. DATE: _ TORRANCE, CALTE. 8/8 25651-C P.O. NUMBER MC DONNELL DONGLAS CORP. RELEASE NO. ______ BILLING ADDRESS . DEFT. 711C331-102/P.O. BOX 2731 100 100 CONTACT LONG BEACH, CALIP. 90801 783-5928 PHONE NO. MC DONNELL DOGGLAS CORP. JOB NO. _ JOB ADDRESS _ 19503 So. NORMANDER AVE. TRACE PARABOLIS CONTACT__ TOTAL CALIF. 763-5927 PHONE . DESTINATION WARAGE ORIGIN ____ MANIFEST NO. 4944 3959 COMMODITY __ WORK PERFORMED CREATED TO PURP 2PP11 AND TRANSPORT TO CHEST-TROE FOR DISPOSAL. NO. LOADS ______ PRIVATE PROPERTY ______ DISPOSAL SITE ______ TRUCK NO. _____ TRAILER NO. ______ CAPACITY _____ CAPACITY ______ __GROSS HOURS ____ START _ __ STOP __ START FINISH **OPERATION** LOCATION HRS RATE 1400 TRUCKING CHARGES 777 8 WARRED ON DISPOSAL FEE 13010000-6 1415 16 40 WASH OUT 14,000 year of the second Programme C. DISPOSAL CARRYING WHAT OR CHARGE SURCHARGE OTHER TOTAL CHARGES DRIVER and the second **10TAL HOURS** DRIVER HELPER MINUS DOWN TIME CHARGEABLE HRS. SHIPPER

EXPLAIN DOWN TIME

DATE